

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

Microsoft Excel - P000-0010@11-59-11@7-13-1998.FDA

☐ File Edit View Insert Format Tools Date Advanced Window Help

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
1	PATIENT ID	SAMPLE DATE	TIME	ISIG VALUE	VCTR	METER VALUE	SLOPE	OFFSET	VALID ISIG	SENSOR VALUE	POWER UP	POWER DOWN	SENSOR INITIALIZATION	LINK EVENT	SENSOR DISCONNECT
2	000-0000	0	7/10/98	10:53	0	-2.042									
3	000-0000	1	7/10/98	10:58	0	-2.026									
4	000-0000	2	7/10/98	11:03	0	-1.732									SEDI
5	000-0000	3	7/10/98	11:09	99.1	-0.936									
6	000-0000	4	7/10/98	11:14	19.7	-0.565									
7	000-0000	5	7/10/98	11:19	26.1	-0.598									
8	000-0000	6	7/10/98	11:24	25.7	-0.626									
9	000-0000	7	7/10/98	11:29	26	-0.643									
10	000-0000	8	7/10/98	11:34	24.9	-0.648									
11	000-0000	9	7/10/98	11:39	23.9	-0.649									
12	000-0000	10	7/10/98	11:44	23.8	-0.651									
13	000-0000	11	7/10/98	11:49	24.3	-0.658									
14	000-0000	12	7/10/98	11:54	23.9	-0.655									
15	000-0000	13	7/10/98	11:59	23	-0.652									
16	000-0000	14	7/10/98	12:04	23.3	-0.652									
17	000-0000	15	7/10/98	12:09	22.2	-0.645							ESI		
18	000-0000	16	7/10/98	12:14	22.1	-0.644	95	5.0	3	22.1	96				
19	000-0000	17	7/10/98	12:19	20.1	-0.634				20.1	86				
20	000-0000	18	7/10/98	12:24	19.9	-0.637				19.9	85				
21	000-0000	19	7/10/98	12:29	20.6	-0.645				20.6	88				
22	000-0000	20	7/10/98	12:34	20.8	-0.662				20.8	89				
23	000-0000	21	7/10/98	12:39	19.1	-0.645				19.1	81				
24	000-0000	22	7/10/98	12:44	18.2	-0.635				18.2	76				
25	000-0000	23	7/10/98	12:49	17.4	-0.633				17.4	72				
26	000-0000	24	7/10/98	12:54	16.4	-0.625				16.4	67				
27	000-0000	25	7/10/98	12:59	15.7	-0.619				15.7	64				
28	000-0000	26	7/10/98	13:04	15	-0.612				15	60				
29	000-0000	27	7/10/98	13:09	13.8	-0.602				13.8	54				
30	000-0000	28	7/10/98	13:14	13.3	-0.597				13.3	52				
31	000-0000	29	7/10/98	13:19	14.4	-0.62				14.4	57				
32	000-0000	30	7/10/98	13:24	16	-0.635				16	65				

READY DATE / 07-11-98 / 07-12-98 / 07-13-98 / 07-14-98 / 07-15-98 / 07-16-98 / 07-17-98 / 07-18-98

6/10




FIG. 11

7/10




FIG. 12

8/10




FIG. 13




FIG. 14

10/10




FIG. 15